

引用文献

引用文献

第2部1章

- 環境省, 2001 : 平成12年度オゾン層等の監視結果に関する年次報告書, 45pp.
- 気象庁, 2002 : 20世紀の日本の気候, 116pp.
- 気象庁, 2003 : 大気・海洋環境観測報告第3号, 印刷中。
- 三上岳彦・石黒直子, 1998 : 謙訪湖氷結記録から見た過去550年間の気候変動. 気象研究ノート, 191, 73-84.
- Feely, R.A., C. L. Sabine, T. Takahashi, and R. Wanninkhof, 2001: Uptake and storage of carbon dioxide in the oceans: The global CO₂ survey, *Oceanography*, 14, 18-32.
- IPCC, 1996: Climate Change 1995: The Science of Climate Change, J. T. Houghton et al. ed., Cambridge Univ. Press, Cambridge, 572pp.
- IPCC, 2001: Climate Change 2001: The Scientific Basis. J. T. Houghton et al. ed., Cambridge University Press, Cambridge, 881pp.
- Joyce, T.M. and P. Robbins, 1996: The long-term hydrographic record at Bermuda, *Journal of Climate*, 9, 3121-3131.
- Karl, D., J.E. Dore, R. Likas, A.F. Michaels, N.R. Bates, and A. Knap, 2001: The long-term picture: The U.S. JGOFS time-series programs, *Oceanography*, 14, 6-17
- Kawamura, K., T. Nakazawa, S. Aoki, H. Nakata, S. Sugawara and O. Watanabe, 2003: Variation of the CO₂ concentration for the past 320,000 years deduced from the Dome Fuji deep ice core, Antarctica, *Tellus*, in press.
- Machida, T., 1990: A study of concentration variations of greenhouse gases in ancient air using ice core analysis. Doctoral thesis of Tohoku University, 147pp.
- Maksyutov, S., T. Machida, H. Mukai, P. K. Patra, T. Nakazawa, G. Inoue, and Transcom-3 Modelers, 2003: Effect of recent observations on Asia CO₂ flux estimates by transport model inversions, *Tellus*, in press.
- Oikawa, T and A. Ito, 2001: Modeling Carbon Dynamics of Terrestrial Ecosystems in Monsoon Asia. In Present and future of modeling global environmental change: Toward Integrated Modeling. T. Matsuo and H. Kida eds., Terra Scientific Publishing Company, Tokyo, 207-219.
- Rayner, P., I. Enting, R. Francy, and R. Langenfelds, 1999: Reconstructing the recent carbon cycle from atmospheric CO₂, ¹³C and O₂/N₂ observations. *Tellus* 51B, 213-232.
- Ronald, H., 1998: FLUXNET and the Framework Convention on Climate Change (FCCC), *BAHC NEWS*, No.6, 11-13.
- Tans, P.P., T.J. Conway, and T. Nakazawa, 1989: Latitudinal distribution of sources and sinks of atmospheric carbon dioxide derived from surface observations and atmospheric transport model, *Journal of Geophysical Review*, 94, 5151-5172.
- Tohjima, Y., 2000: Method for measuring changes in the atmospheric O₂/N₂ ratio by gaschromatograph equipped with a thermal conductivity detector, *Journal of Geophysical Research*, 105, 575-584.
- Yamamoto, S., S. Murayama, N. Saigusa, and H. Kondo, 1999: Seasonal and inter-annual variation of CO₂ flux between a temperate forest and the atmosphere in Japan, *Tellus*, 51B, 402-413.
- Zeng, J., Y. Nojiri, Y. Fujinuma, P. Murphy, and C.S. Wong, 2003: A comparison of delta Pco₂ distributions in the northern North Pacific using results from a commercial vessel in 1995-1999, *Deep-Sea Research II*, in press.

第2部2章

- 阿部彩子, 1997 : 大気海洋結合大循環モデルによる地球温暖化等の気候変動研究、「気候研究の最前線（気候システム研究叢書No. 2）」第9章. 117-130, 東京大学気候システム研究センター, 東京.
- 気象庁, 1996, 1998, 1999, 2001 : 地球温暖化予測情報（第 - 卷）財務省印刷局.
- 佐藤康雄, 2000 : 地球温暖化に伴う日本域の気候変化予測, *天気*, 47, 708-716.
- 住明正, 2001 : 気候システム科学から見た21世紀の環境問題. *環境情報科学*, 30卷 1号. 18-21.
- 野田彰, 2000 : 地球温暖化に伴う全球的な気候変化予測. *天気*, 47, 702-708.
- Emori, S., T. Nozawa, A. Abe-Ouchi, A. Numaguti, M. Kimoto and T. Nakajima, 1999: Coupled ocean-atmosphere model experiments of future climate change with an explicit representation of sulfate aerosol scattering. *J. Met. Soc. Japan*, 77, 1299-1307.
- Emori, S., T. Nozawa, A. Numaguchi and I. Uno 2000: A regional climate change projection over East Asia. Preprint Volume of the 11th Symposium on Global Change Studies, 9-14 January 2000, Long Beach, Cal., 15-18.
- IPCC, 1990: Climate Change, The IPCC Scientific Assessment, J. T. Houghton et al. ed., Cambridge Univ. Press, Cambridge, 365pp.
- IPCC, 1996: Climate Change 1995: The Science of Climate Change, J. T. Houghton et al. ed., Cambridge Univ. Press, Cambridge, 572pp.
- IPCC, 2001a: Climate Change 2001: The Scientific Basis. J. T. Houghton, et al. ed., Cambridge University Press,

- Cambridge, 881pp.
- IPCC, 2001b: Climate Change 2001: Impacts, Adaptation, and Vulnerability. J. J. McCarthy, et al. ed., Cambridge University Press, Cambridge, 1032pp.
- Kato, H., K. Nishizawa, H. Hirakuchi, S. Kadokura, N. Oshima and F. Giorgi, 2001: Performance of RegCM2.5 / NCAR-CSM nested system for the simulation of climate change in East Asia caused by global warming. *J. Meteor. Soc. Japan*, 1, 99-121.
- Lomborg, B., 2001: The Skeptical Environmentalist, Cambridge University Press, London, 540pp.
- Manabe, S., and R. T. Wetherald, 1967: Thermal equilibrium of atmosphere with a given distribution of relative humidity, *J. Atmos. Sci.*, 24, 241-259.
- Nozawa, T., S. Emori, A. Numaguti, Y. Tsuchima, T. Takemura, T. Nakajima, A. Abe-Ouchi and M. Kimoto, 2001: Projections of future climate change in the 21st century simulated by the CCSR / NIES CGCM under the IPCC SRES scenarios, In Present and Future of Modelling Global Environmental Change Toward Integrated Modelling, T. Matsuno and H. Kida ed., Terra Scientific Publishing Company, Tokyo, 15-28.
- Tsuchima, Y., and S. Manabe, 2001: Influence of cloud feedback on annual variation of global mean surface temperature, *Journal of Geophysical Research (Atmosphere)*, 106-D19, 22,635-22,646.

第2部3章

- 大坂進 他, 1996 : 気象と電力運用「電力における気象観測と系統運用」電気評論, 12, 15-18.
- 環境省, 2001 : 気候変化2001 IPCC地球温暖化第3次評価報告書 - 政策決定者向け要約 -, 91pp.
- 環境省地球温暖化問題検討会温暖化影響評価ワーキンググループ, 2001 : 地球温暖化の日本への影響2001, 459pp.
- 地球温暖化に伴う海面上昇に対する国土保全研究会, 2002 : 地球温暖化に伴う海面上昇に対する国土保全研究会報告書.
- Alward, R.D. and J.K. Detling, 1999: Grassland vegetation changes and nocturnal global warming. *Science*, 283, 229-231.
- Arendt, A.A., K.A. Echelmeyer, W.D. Harrison, C.S. Lingle, and V.B. Valentine, 2002: Rapid wastage of Alaska glaciers and their contribution to rising sea level. *Science*, 297, 382-386.
- Bradley, N.L., A.C. Leopold, J. Ross, and W. Huffaker, 1999: Phenological changes reflect climate change in Wisconsin. *Proceedings of the National Academy of Sciences of the United States of America*, 96, 9701-9704.
- Brown, J.H., T.J. Valone, and C.G. Curtin, 1997: Reorganization of an arid ecosystem in response to recent climate change. *Proceedings of the National Academy of Sciences of the United States of America*, 94, 9729-9733.
- Dettinger, M.D. and D.R. Cayan, 1995: Large-scale atmospheric forcing of recent trends toward early snowmelt runoff in California. *Journal of Climate*, 8, 606-623.
- Fitter, A.H. and R.S.R. Fitter, 2002: Rapid changes in flowering time in British plants. *Science*, 296, 1689-1691.
- Gleick, P., 2000: The World Water 2000-2001. Island Press, 315pp.
- Gonzalez, P., 2001: Desertification and a shift of forest species in the West African Sahel. *Climate Research*, 17(2), 217-228.
- Grabherr, G., M. Gottfried, and H. Pauli, 1994: Climate effects on mountain plants. *Nature*, 369, 448.
- Hamburg, S.P. and C.V. Cogbill, 1988: Historical decline of red spruce population and climatic warming. *Nature*, 331, 428-431.
- Hasenauer, H., R.R. Nemani, K. Schadauer, and S.W. Running, 1999: Forest growth response to changing climate between 1961 and 1990 in Austria. *Forest Ecology and Management*, 122, 209-219.
- Horie, T., H.Nakagawa, M.Ohnishi and J.Nakano, 1995 : Rice production in Japan under current and future climates. In: Mathews, R.B. et al. (eds.) Modelling the Impacts of Climate Change on Rice in Asia, CAB International, Oxon, U.K. 143-164.
- IPCC, 1994: IPCC Technical Guidelines for Assessing Climate Change Impacts and Adaptation. T. R. Carter et al. ed., University College London and Center for Global Environmental Research, 59pp.
- IPCC, 1996: Climate Change 1995 - Impacts, Adaptations, and Mitigation of Climate Change: Scientific-Technical Analyses. R. T. Watson et al. ed., Cambridge Univ. Press, Cambridge, 878pp.
- IPCC, 1998 : The Regional Impacts of Climate change - An Assessment of Vulnerability. Cambridge Univ. Press, Cambridge, 517pp.
- IPCC, 2001: Climate Chang 2001 - Impacts, Adaptation, and Vulnerability. J. J. McCarthy et al. ed., Cambridge Univ. Press, 1032pp.
- Ishigami, Y., Y. Shimizu, and K. Omasa, 2001 : Prediction of changes in vegetation distribution in Japan using process based model and GCM data. Proceeding of LUCC Symposium 2001.
- Kainuma, M., Y. Matsuoka, and T. Morita, 2002: Climate Policy Assessment Asia-Pacific Integrated Modeling. Springer, 402pp.
- Menzel, A. and P. Fabian, 1999: Growing season extended in Europe. *Nature*, 397, 659.

- Mimura, N. and E. Kawaguchi, 1996 :Responses of coastal topography to sea-level rise. Proc. of 25th ICCE, 1161-1165.
- NASA, 2002: <http://www.gsfc.nasa.gov/>
- NAST (National Assessment Synthesis Team), 2001: Climate Change Impacts on the United States. The Potential Consequences of Climate Variability and Change. 612pp.
- Parmesan, C., 1996: Climate and species' range. Nature, 382, 765-766.
- Peñueleas, J. and I. Filella, 2001: Response to a warming world. Science, 294, 793-795.
- UNEP, 2002: <http://climatechange.unep.net/>
- USCSP, 1999: Climate Change Mitigation, Vulnerability, and Adaptation in Developing and Transition Countries. 96p+Appendix.

第2部4章

- 天野明弘, 2002 : 地球環境問題の社会経済的側面. 森田・天野編：岩波講座「環境経済・政策学」第6巻「地球環境問題とグローバル・コミュニティ」, 9-36.
- 蟹江憲史, 2001 : 地球環境外交と国内政策・京都議定書をめぐるオランダの外交と政策, 336p, 慶應大学出版会.
- (財) 地球環境戦略研究機関, 2000 : 徹底討論・日本の国内気候政策IGES地球温暖化対策オープンフォーラム, (財) 地球環境戦略研究機関, 18 p.
- (財) 地球環境戦略研究機関, 2002 : 気候変動問題対応・日本国内政策ポートフォリオ提案, (財) 地球環境戦略研究機関.
- 中央環境審議会地球環境部会, 2001 : 「目標達成シナリオ小委員会」中間取りまとめ.
<http://www.env.go.jp/council/06earth/r062-01/index.html>
- Alcamo, J., A. Bouwman, J. Edmonds, A. Grubler, T. Morita, and A. Sugandhy, 1995: An Evaluation of the IPCC IS92 Emission Scenarios. In Climate Change 1994, Radiative Forcing of Climate Change and An Evaluation of the IPCC IS92 Emission Scenarios. Cambridge University Press, Cambridge.
- Aoyama, T., 1997: Energy Perspectives in Asia The Future of Nuclear Power Generation. Energy in Japan, No.145, 42-50.
- Fujii, Y., and K. Yamaji, 1998: Assessment of Technological Options in the Global Energy System for Limiting the Atmospheric CO₂ Concentration. Environmental Economics and Policy Studies, 1(2), 113-139.
- Fujime, K, 1998: Japan's Latest Long-term Energy Supply and Demand Outlook From Kyoto Protocol's Perspectives. Energy in Japan, No. 153, 1-9
- IPCC, 2001: Climate Change 2001: Mitigation. B. Metz et al. ed., Cambridge University Press, Cambridge, 752pp.
http://www.grida.no/climate/ipcc_tar/wg3/index.htm
- Ishitani, H., Y. Baba and O. Kobayashi, 2000a: Well to wheel energy efficiency of fuel cell electric vehicles by various fuels. Japan Society of Energy and Resources, Energy and Resources, 21(5), 417-425.
- Ishitani, H., Y. Baba, and R. Matsuhashi, 2000b: Evaluation of Energy Efficiency of a Commercial HEV, Prius at City Driving. Department of Geosystems Engineering, University of Tokyo, Japan.
- Iwashashi, T., 1998: Basic Design of a Domestic System of Greenhouse Gas Emissions Trading. Osaka Law Review, 48(3), 857-890.
- Japan Energy Conservation Center, 1997: Energy Conservation Handbook, Japan.
- Japan Resources Association, 1994: Life cycle energy in domestic life. Anhorume Co Ltd., Japan.
- Jiang, K., T. Morita, T. Masui, and Y. Matsuoka, 2000: Global Long-term GHG Mitigation Emission Scenarios based on AIM. Environmental Economics and Policy Studies, 3(2), 239-254.
- Jiang, K., X. Hu, Y. Matsuoka, and T. Morita, 1998: Energy Technology Changes and CO₂ Emission Scenarios in China. Environmental Economics and Policy Studies, 1(2), 141-160.
- Kainuma, M., Y. Matsuoka, and T. Morita, 1999a: Analysis of Post-Kyoto Scenarios: The Asian Pacific Integrated Model. Energy Journal, Kyoto Special Issue, 207-220.
- Kainuma, M., Y. Matsuoka, T. Morita, and G. Hibino, 1999b: Development of an End-Use Model for Analyzing Policy Options to Reduce Greenhouse Gas Emissions. IEEE Transactions on Systems, Man, and Cybernetics - Part C: Applications and Reviews, 29(3 -August), 317-323.
- Kainuma, M., Y. Matsuoka, and T. Morita, 2000: The AIM/End-Use Model and its Application to Forecast Japanese Carbon Dioxide Emissions. European Journal of Operational Research, 392-404.
- Kashiwagi, T., B.B. Saha, D. Bonilla, and A. Akisawa, 1999: Energy Efficiency and Structural Change for Sustainable Development and CO₂ Mitigation. Contribution to the IPCC Expert Meeting "Costing Methodologies", Dept. of Mechanical Systems Engineering, Tokyo University of Agriculture and Technology, Tokyo, June.
- Kawashima, Y., 1997: Comparative Analysis of Decision-Making Process of the Developed Countries Towards CO₂ Emission Reduction Target. International Environmental Affairs, 9, 95-126.
- Kawashima, Y., 2000: Japan's Decision-Making About Climate Change Problems: Comparative Study of Decisions in 1990

- and 1997. *Environmental Economics and Policy Studies*, 3(1), 29-57.
- Kurosawa, A., H. Yagita, Z. Weisheng, K. Tokimatsu, and Y. Yanagisawa, 1999: Analysis of Carbon Emission Stabilization Targets and Adaptation by Integrated Assessment Models. *Energy Journal*, Kyoto Special Issue, 157-175.
- Matsuo, N., 1998: Points and proposals for the emission trading regime of climate change - For designing future systems (Version 2). IGES, Shonan Village, Japan.
- Matsuo, N., 1999: Baselines as the critical issue of CDM - possible pathways to standardisation, In Proceedings CDM workshop - workshop on baseline for CDM, NEDO/GISPRI, (eds.), Tokyo, 9-22.
- Matsuoka, Y., 2000: Development of a Stabilization Scenario Generator for Long-term Climatic Assessment. *Environmental Economics and Policy Studies*, 3 (2), 255-266.
- Matsuoka, Y., M. Kainuma, and T. Morita, 1995: Scenario Analysis of Global Warming Using the Asian Pacific Integrated Model (AIM). *Energy Policy*, 23(4-5), 357-371.
- Miyamoto, K. (ed), 1997: Renewable biological systems for alternative sustainable energy production. FAO Agricultural Series Bulletin 128.
- Mori, S. 2000: Effects of Carbon Emission Mitigation Options under Carbon Concentration Stabilization Scenarios. *Environmental Economics and Policy Studies*, 3(2), 125-142.
- Mori, S., and M. Takahashi, 1998: An Integrated Assessment Model for New Energy Technologies and Food Production - An Extension of the MARIA Model. *International Journal of Global Energy Issues*, 11(1-4), 1-17.
- Morita, T., and H. Lee, 1998a: IPCC SRES database, Version 1.0, Emissions Scenario Database prepared for IPCC Special Report on Emission Scenarios (online: <http://www-cger.nies.go.jp/cger-e/db/ipcc.html>)
- Morita, T., and H. Lee, 1998b: IPCC Emission Scenarios Database. Mitigation and Adaptation Strategies for Global Change, 3(2-4), 121-131.
- Morita, T., N. Nakicenovic and J. Robinson, 2000a: Overview of Mitigation Scenarios for Global Climate Stabilization based on New IPCC Emission Scenarios (SRES). *Environmental Economics and Policy Studies*, 3(2), 65-88.
- Morita, T., N. Nakicenovic, and J. Robinson, 2000b: The Relationship between Technological Development Paths and the Stabilization of Atmospheric Greenhouse Gas Concentrations in Global Emissions Scenarios. CGER Research Report (CGER-I044-2000), Center of Global Environmental Research, National Institute for Environmental Studies.
- Nakicenovic, N., J. Alcamo, G. Davis, H.J.M. de Vries, J. Fenhann, S. Gaffin, K. Gregory, A. Grubler, T.Y. Jung, T. Kram, E.L. La Rovere, L. Michaelis, S. Mori, T. Morita, W. Papper, H. Pitcher, L. Price, K. Riahi, A. Roehrl, H-H. Rogner, A. Sankovski, M. Schlesinger, P. Shukla, S. Smith, R. Swart, S. van Rooijen, N. Victor, and Z. Dadi, 2000: Special Report on Emissions Scenarios. Intergovernmental Panel on Climate Change, Cambridge University Press, Cambridge, 599
- NEDO, 1999: Fluidised bed combustion. Technical Brief from Residua & Warmer Bulletin
[<http://www.residua.com/wrftfbfc.html>]
- Ogawa, J., B. Bawks, N. Matsuo, and K. Ito, 1998: The Characteristics of Transport Energy Demand in the APEC Region. Asia Pacific Energy Research Center, Tokyo.
- Ozaki, M., 1997: CO₂ Injection and Dispersion in Mid-Ocean Depth by Moving Ship. *Waste Management*, 17(5/6), 369-373.
- Rana, A., and T. Morita, 2000: Scenarios for Greenhouse Gas Emissions Mitigation: A Review of Modeling of Strategies and Policies in Integrated Assessment Models. *Environmental Economics and Policy Studies*, 3(2), 267-289.
- Sato, O., M. Shimoda, K. Tatemasu, and Y. Tadokoro, 1999: Roles of Nuclear Energy in Japan's Future Energy System. English summary of the JAERI technical paper 99-015, March.
- Sato, T., 1999: Can we make the Biological Impacts of CO₂ Negligible by Dilution? In Proceedings of the 2nd International Symposium on Ocean Sequestration of Carbon Dioxide. NEDO, 21-22 June 1999, Tokyo, Japan.
- Yagi, K.H., H. Tsuruta, and K. Minami, 1997: Possible options for mitigating methane emission from rice cultivation. *Nutrient cycling in Agroeco*, 49, 213-220.
- Yamaji, K., 1998: A Study of the Role of End-of-pipe Technologies in Reducing CO₂ Emissions. *Waste Management*, 17(5/6), 295-302.
- Yamaji, K., J. Fujino, and K. Osada, 2000: Global Energy System to Keep the Atmospheric CO₂ Concentration at 550 ppm. *Environmental Economics and Policy Studies*, 3(2), 159-172.
- Yamasaki, E. and T. Tominaga, 1997: Evolution of an ageing society and effect on residential energy demand. *Energy Policy*, 25 (11), 903-912.

