

Cranial Nerves in a Cyclostome, *Lampetra japonica* : Morphological distribution of nerve branches and the vertebrate body plan. *J. Comparative Neurology* 384 , 483-500.

Kuratani, S., Matsuo, I. and Aizawa, S. (1997). Developmental patterning and evolution of the mammalian viscerocranum: Genetic insights into comparative morphology (Review). *Dev. Dyn.* 209, 139-155.

Oda, H., Zhang, S., Tsurutani, N., Shimizu, S., Nakatsuru, Y., Aizawa, S. and Ishikawa, T. (1997). Loss of p53 is an early event in induction of brain tumors in mice by transplacental carcinogen exposure. *Cancer Res.* 57, 646-650.

Miyamoto, N., Yoshida, M., Kuratani, S., Matsuo, I. and Aizawa, S. (1997). Defects of urogenital development in mice lacking *Emx2*. *Development* 124, 1653-1664.

Kano, A., Watanabe, Y., Takeda, N., Aizawa, S. and Akaike, T. (1997). Analysis of IFN-induced cell cycle arrest and cell death in hepatocytes. *J. Biochem.* 121, 677-683.

Sakai, R., Nakamoto, T., Ozawa, K., Aizawa, S. and Hirai, H. (1997). Characterization of the kinase activity essential for tyrosine phosphorylation of p130cas in fibroblasts. *Oncogene* 14, 1419-1426.

Ilic, D., Kanazawa, S., Nishizumi, H., Aizawa, S., Kuroki, T., Mori, S. and Yamamoto, T. (1997). Skin abnormality in aged fyn-/ fak+- mice. *Carcinogenesis* 18, 1473-1476.

Nakamoto, T., Sakai, R., Honda, H., Ogawa, S., Ueno, H., Suzuki, T., Aizawa, S., Yazaki, Y. and Hirai, H. (1997). Requirements for localization of p130cas to focal adhesions. *Mol. Cell. Biol.* 17, 3884-3897.

Kimura, C., Takeda, N., Suzuki, M., Oshimura, M., Aizawa, S. and Matsuo, I. (1997). Cis-acting elements conserved between mouse and pufferfish *Otx2* genes govern the expression in mesencephalic neural crest cells. *Development* 124, 3929-3941.

Nitta, M., Okamura, H., Aizawa, S. and Yamaizumi, M. (1997). Heat shock induces transient p53-dependent cell cycle arrest at G1/S. *Oncogene* 15, 561-568.

Suda, Y., Matsuo, I. and Aizawa, S. (1997). Cooperation between *Otx1* and *Otx2* genes in developmental patterning of rostral brain. *Mech. Dev.* 69, 125-141.

Yasue, T., Nishizumi, H., Aizawa, S., Yamamoto, T., Miyake, K., Mizoguchi, C., Uehara, S., Kikuchi, Y. and Takatsu, K. (1997). A critical role of Lyn and Fyn for B cell responses to CD38 ligation and interleukin 5. *Proc. Natl. Acad. Sci. USA* 94, 10307-10312.

Hanazono, M., Hirabayashi, K., Tomisawa, H., Aizawa, S. and Tomooka, Y. (1997). Establishment of uterine cell lines from p53-deficient mice. *In Vitro Cell Dev. Biol.* 33, 668-671.

Takahashi, T., Yagi, T., Kakinuma, S., Kurokawa, A., Okada, T., Takatsu, A., Aizawa, S. and Katagiri, T. (1997). Suppression of autoimmune disease and of massive lymphadenopathy in MRL/Mp-Ipr/Ipr mice lacking tyrosine kinase fyn (p59 fyn). *The Journal of Immunology* 159, 2532-2541.

Nakayama, T., Kanoe, H., Sasaki, M. S., Aizawa, S., Nakamura, T. and Toguchida, J. (1997). Establishment of an osteoblast-like cell line, MMC2, from p53-deficient mice. *Bone* 21, 313-319.

Kaburagi, Y., Satoh, S., Tamemoto, H., Yamamoto-Honda, R., Tobe, K., Veki, K., Yamauchi, T., Kono-Sugita, E., Sekihara, H., Aizawa, S., Cushman, S. W., Akanuma, Y., Yazaki, Y. and Kadokami, T. (1997). Role of insulin receptor substrate-1 and pp60 in the regulation of insulin-induced glucose transport and GLUT4 translocation in primary adipocytes. *J. Biol. Chem.* 272, 25839-25844.

Hanzawa, C., Kobayashi, K., Hirabayashi, Y., Inoue, T., Aizawa, S. and Adachi, K. (1997). Hair follicle dermal papilla cell lines from p53-knockout mice. *J. Dermatological Science* 15, 59-63.

Oyanagi, M., Matsuo, I., Wakabayashi, Y., Aizawa, S. and Kominami, R. (1997). Mouse homeobox-containing gene, *Otx2*, maps to mouse chromosome 14. *Mammalian Genome*. 8, 292-293.

Sasaki, H., Matsuda, M., Lu, Y., Ikuta, K., Matsuyama, S., Hirabayashi, Y., Mitsui, H., Matsumura, T., Muramatsu, M., Tsukada, T., Aizawa, S. and Inoue, T. (1997). A fraction unresponsive to growth inhibition by TGF- $\beta$  among the high-proliferative potential pregenitor cells in bone marrow of p53-deficient mice. *Leukemia* 11, 239-244.

Hirabayashi, Y., Matsuda, M., Matsumura, T., Mitsui, H., Sasaki, H., Tsukada, T., Aizawa, S., Yoshida, K. and Inoue, T. (1997). The p53-deficient hemopoietic stem cells: their resistance to radiation-apoptosis, but lasted transiently. *Leukemia* 11, 489-492.

Tamura, T., Ishihara, M., Lamphier, MS., Tanaka, N., Oishi, I., Aizawa, S., Mitsuya, T., Mak, TW., Taki, S. and Taniguchi, T. (1997). DNA damage-induced apoptosis and *Ice* gene induction in mitogenically activated T lymphocytes require IRF-1. *Leukemia* 11, 439-440.

Matsuo, I., Suda, Y., Yoshida, M., Yoshida, M., Ueki, T., Kimura, C., Kuratani, S. and Aizawa, S. (1997). *Otx* and *Emx* Functions in Patterning of the Vertebrate Rostral Head., *Cold Spring Harbor Symposia on Quantitative Biology LXII*, 545-553.

Kuratani, S., Ueki, T., Hirano, S. and Aizawa, S. (1998). Rostral truncation of a cyclostome, *Lampetra japonica*, induced by all-trans retinoic acid defines the head/trunk interface of the vertebrate body. *Dev. Dyn.* 211, 35-51.

Araki, T., Enokido, Y., Aizawa, S., Reed, C. John and Hatanaka, H. (1998). Changes in c-Jun but not Bcl-2 family proteins in p53-dependent apoptosis of mouse cerebellar granule neurons induced by DNA damaging agent bleomycin. *Brain Research* 794, 239-247.

Kuratani, S., Horigome, N., Ueki, T., Aizawa, S. and Hirano, S. (1998). Stereotyped axonal bundle formation and neuromeric patterns in embryos of a cyclostome, *Lampetra japonica*. *J. Comparative Neurology* 391, 99-114.

Yasui, K., Zhang, S., Uemura, M., Aizawa, S. and Ueki, T. (1998). Expression of a twist-related gene, *Bbtwist*, during the development of a lancelet species and its relation to cephalochordate anterior structures. *Dev. Biol.* 195, 49-59.

Yin, Y., Terauchi, Y., Solomon, G. G., Aizawa, S., Rangarajan, P. N., Yazaki, Y., Kadowaki, T. and Barrett, J. C. (1998). Involvement of p85 in p53-dependent apoptotic response to oxidative stress. *Nature* 391, 707-710.

Ohta, M., Sakai, T., Saga, Y., Aizawa, S. and Saito, M. (1998). Suppression of hematopoietic activity in tenascin-C-deficient mice.

*Blood* 91, 4074-4083.

Ueki, T., Kuratani, S., Hirano, S. and Aizawa, S. (1998). *Otx* cognates in a lamprey,

*Lampetra japonica*. *Dev. Genes Evol.* 208, 223-228.

Tomooka, Y. and Aizawa, S. (1998). Cell lines established from fetal brains of p53-deficient mice. *Cell Structure and Function* 23, 101-107.

Hanazono, M., Nakagawa, E., Aizawa, S. and Tomooka, Y. (1998). Establishment of prostatic cell line "Pro9ad" from a p53-defcient mouse. *The Prostate* 36, 102-109.

Ilic, D., Almeida, E. A. C., Schlaepfer, D. D., Dazin, P., Aizawa, S. and Damsky, C. H. (1998). Extracellular matrix survival signals transduced by focal adhesion kinase suppress p53-mediated apoptosis. *J. Cell Biol.* 143, 547-560.

Li, Q., Yoshioka, N., Yutsudo, M., Inafuku, S., Aozasa, K., Kitamura, Y., Aizawa, S., Nishimune, Y., Hakura, A. and Kondoh, G. (1998). Human papillomavirus-induced carcinogenesis with p53 deficiency in mouse: Novel lymphomagenesis in HPV16E6E7 transgenic mice mimicking p53 defect. *Virology* 252, 28-33.

Minakawa, M., Sugimoto, T., Aizawa, S. and Tomooka, Y. (1998). Cerebellar cell lines established from a p53-deficient adult mouse. *Brain Research* 813, 172-176.

Takamiya, K., Yamamoto, A., Furukawa, K., Zhao, J., Fukumoto, S., Yamashiro, S., Okada, M., Haraguchi, M., Shin, M., Kishikawa, M., Shiku, H., Aizawa, S. and Furukawa, K. (1998). Complex gangliosides are essential in spermatogenesis of mice: Possible roles in the transport of testosterone. *Proc. Natl. Acad. Sci. USA* 95, 12147-12152.

Schmedt, C., Saijo, K., Niidome, T., Kühn, R., Aizawa, S. and Tarakhovsky, A. (1998). Csk controls antigen receptor-mediated development and selection of T lineage cells. *Nature* 394, 901-904.

Matsumoto, Y., Kosugi, S., Shinbo, T., Chou, D., Ohashi, M., Wakabayashi, Y., Sakai, K., Okumoto, M., Mori, N., Aizawa, S., Niwa, O. and Kominami, R. (1998). Allelic loss analysis of  $\gamma$ -ray-induced mouse thymic lymphomas: two candidate tumor suppressor gene loci on chromosomes 12 and 16. *Oncogene* 16, 2747-2754.

Cifuentes-Diaz, C., Velasco, E., Meunier, F.A., Goudou, D., Belkadi, L., Faille, L., Murawsky, M., Angaut-Petit,D., Molgo,J., Schachner, M., Saga, Y., Aizawa, S., Rieger, F. (1998). The peripheral nerve and the neuromuscular junction are affected in the

tenascin-C-deficient mouse. *Cell.Mol.Biol.* 44, 357-379.

Ueki, K., Mimura, T., Nakamoto, T., Sasaki, T., Aizawa, S., Hirai, H., Yano, S., Naruse, T., Nojima, Y. (1998). Integrin-mediated signal transduction in cells lacking focal adhesion kinase p125FAK. *FEBS Lett.* 432, 197-201.

Suzuki, H., Terauchi, Y., Fujiwara, M., Aizawa, S., Yazaki, Y., Kadowaki, T. and Koyasu, S. (1999). Xid-Like Immunodeficiency in mice with disruption of the p85<sub>-</sub> subunit of phosphoinositide 3-kinase. *Science* 283, 390-392.

Suda, Y., Nakabayashi, J., Matsuo, I. and Aizawa, S. (1999). Functional equivalency between *Otx2* and *Otx1* in development of the rostral head. *Development* 126, 743-757.

Eto, K., Tsubamoto, Y., Terauchi, Y., Sugiyama, T., Kishimoto, T., Takahashi, N., Yamauchi, N., Kubota, N., Murayama, S., Aizawa, T., Akanuma, Y., Aizawa, S., Kasai, H., Yazaki, Y. and Kadowaki, T. (1999). Role of NADH shuttle system in glucose-induced activation of mitochondrial metabolism and insulin secretion. *Science* 283, 981-985.

Terauchi, Y., Tsuji, Y., Satoh, S., Minoura, H., Murakami, K., Okuno, A., Inukai, K., Asano, T., Kaburagi, Y., Ueki, K., Nakajima, H., Hanafusa, T., Matsuzawa, Y., Sekihara, H., Yin, Y., Barrett, J. C., Oda, H., Ishikawa, T., Akanuma, Y., Komuro, I., Suzuki, M., Yamamura, K-I., Kodama, T., Suzuki, H., Koyasu, S., Aizawa, S., Tobe, K., Fukui, Y., Yazaki, Y. and Kadowaki, T. (1999). Increased insulin sensitivity and hypoglycaemia in mice lacking the p85 subunit of phosphoinositide 3-kinase. *Nature Genetics* 21, 230-235.

Horigome, N., Myojin, M., Ueki, T., Hirano, S., Aizawa, S., and Kuratani, S. (1999). Development of Cephalic Neural Crest Cells in Embryos of *Lampetra japonica*, with Special Reference to the Evolution of the Jaw. *Dev. Biol.* 207, 287-308.

Irie, Y., Asano, A., Canas, X., Nikami, H., Aizawa, S. and Saito, M. (1999). Immortal brown adipocytes from p53-knockout mice: Deifferentiation and expression of uncoupling proteins. *Biochem. Biophys. Res. Commun.* 255, 221-225.

Nozawa, H., Oda, E., Nakao, K., Ishihara, M., Ueda, S., Yokochi, T., Ogasawara, K., Nakatsuru, Y., Shimizu, S., Ohira, Y., Hioki, K., Aizawa, S., Ishikawa, T., Katsuki, M., Muto, T., Taniguchi T. and Tanaka, N. (1999). Loss of transcription factor IRF-1 affects tumor susceptibility by exacerbating previous tumor predisposition in mice carrying the Ha-ras

transgene or nullizygosity for p53. *Genes & Development*. 13, 1240-1245.

Kazuhiro Eto, Sechiko Suga, Makoto Wakui, Yoshiharu Tsubamoto, Yasuo Terauchi, Junko Taka, Shinichi Aizawa, Mitsuhiro Noda, Satoshi Kimura, Haruo Kasai, Takashi Kadowaki. (1999). NADH shuttle system regulates KATP channel-dependent pathway and steps distal to cytosolic Ca<sup>2+</sup> concentration elevation in glucose-induced insulin secretion. *J. Biol. Chem.* 274, 25386-25392.

Kubota, N., Terauchi, Y., Miki, H., Tomemoto, H., Yamauchi, T., Komeda, K., Satoh, S., Nakano, R., Ishi, C., Sugiyama, T., Eto, K., Tsubamoto, Y., Okuno, A., Murakami, K., Sekihara, H., Hasegawa, G., Naito, M., Toyoshima, Y., Tanaka, S., Shiota, K., Kitamura, T., Fujita, T., Ezaki, O., Aizawa, S., Nagai, R., Tobe, K., Kimura, S., and Kadowaki, T. (1999). PPAR gamma mediates high-fat diet-induced adipocyte hypertrophy and insulin resistance. *Mol. Cell* 4, 597-609.

Nishii, K., Tsuzuki, T., Kumai, M., Takeda, N., Koga, H., Aizawa, S., Nishimoto, T. and Shibata, Y. (1999). Abnormalities of developmental cell death in Dad1-deficient mice. *Genes to Cells* 4, 243-252.

Kuwata, N., Igarashi, H., Ohmura, T., Aizawa, S. and Sakaguchi, N. (1999). Cutting edge: absence of expression of RAG1 in peritoneal B-1 cells detected by knocking into RAG1 locus with green fluorescent protein gene. *Journal of Immunology* 163, 6355-6359.

Zhao, J., Furukawa, K., Fukumoto, S., Okada, M., Furugen, R., Miyazaki, H., Takamiya, K., Aizawa, S., Shiku, H., Matsuyama, T., Furukawa, K. (1999). Attenuation of interleukin 2 signal in the spleen cells of complex ganglioside-lacking mice. *J.Biol.Chem.* 274, 13744-13747.

Horikawa, K., Nishizumi, H., Umemori, H., Aizawa, S., Takatsu, K., Yamamoto, T. (1999). Distinctive roles of Fyn and Lyn in IgD-and IgM-mediated signaling. *Int.Immunol.* 11, 1441-1449.

Kiernan, BW., Garcion, E., Ferguson, J., Frost, EE., Torres, EM., Dunnett, SB., Saga, Y., Aizawa, S., Faissner, A., Kaur, R., Franklin, RJ., ffrench-Constant C. (1999). Myelination and behavior of tenascin-C null transgenic mice. *Eur.J.Neurosci.* 11, 3082-3092.

Kitamura, M., Takamiya, K., Aizawa, S., Furukawa, K., Furukawa, K. (1999).

Gangliosides are the binding substances in neural cells for tetanus and botulinum toxins in mice. *Biochem.Biophys.Acta.* 1441, 1-3.

Nakano, T., Murata, T., Matsuo, I. And Aizawa, S. (2000). OTX2 Directly Interacts with LIM1 and HNF-3. *Biochem. Biophys. Res. Commun.* 267, 64-70.

Honda, H., Ushijima, T., Wakazono, K., Oda, H., Tanaka, Y., Aizawa, S., Ishikawa, T., Yazaki, Y. and Hirai, H. (2000). Acquired loss of p53 induces blastic transformation in p210 bcr/abl-expressing hematopoietic cells: a transgenic study for blast crisis of human CML. *BLOOD* 95, 1144-1150.

Senju, S., Iyama, K-I., Kudo, H., Aizawa, S., and Nishimura, Y. (2000). Immunocytochemical Analyses and Targeted Gene Disruption of GTPBP1. *Mol. Cell .Biol.* 20, 6195-6200.

Inamura, N., Araki, T., Enokido, Y., Nisio, C., Aizawa, S. and Hatanaka, H. (2000) Role of p53 in DNA Strand Break-Induced Apoptosis In Organotypic Slice Culture From the Mouse Cerebellum. *Journal of Neuroscience Research* 60, 450-457.

Kimura, C., Yoshinaga, K., Tian, E., Suzuki, M., Aizawa, S., and Matsuo, I. (2000) Visceral endoderm mediates forebrain development by suppressing posteriorizing signals. *Developmental Biology* 225, 304-321.

Ueki, K., Yamauchi, T., Tamemoto, H., Tobe, K., Yamamoto-Honda, R., Kaburagi, Y., Akanuma, Y., Yazaki, Y., Aizawa, S., Nagai, R. and Kadowaki, T. (2000) Restored insulin-sensitivity in IRS-1-deficient mice treated by adenovirus-mediated gene therapy. *The Journal of Clinical Investigation* 105, 1437-1445.

Kubota, N., Tobe, K., Terauchi, Y., Eto, K., Yamauchi, T., Suzuki, R., Tsubamoto, Y., Komeda, K., Nakano, R., Miki, H., Satoh, S., Sekihara, H., Sciacchitano, S., Lesniak, M., Aizawa, S., Nagai, R., Kimura, S., Akanuma, Y., Taylor, SI. And Kadowaki, T. (2000). Disruption of Insulin Receptor Substrate 2 Causes Type 2 Diabetes Because of Liver Insulin Resistance and Lack of Compensatory b-Cell Hyperplasia.

*DIABETES* 49, 1880-1889.

Furushima, K., Murata, T., Matsuo, I. and Aizawa, S. (2000) A new murine zinc finger gene. *Opr. Mech. Dev* 98, 161-164.

Taga, M., Shiraishi, K., Shimura, T., Uematsu, N., Kato, T., Nishimune, Y., Aizawa, S., Oshimura, M., Miwa, O. (2000). The effect of caffeine on p53-dependent radioresponses in undifferentiated mouse embryonal carcinoma cells after X-ray and UV-irradiations.

*J. Radiat. Res.* 41, 227-241.

Hanazono, M., Nozawa, R., Itakura, R., Aizawa, S., Tomooka, Y. (2001). Establishment of an androgen-responsive prostatic cell line "PEAS" from a p53-deficient mouse. *The Prostate* 46, 214-225.

Suda, Y., Houssain, Z. M., Kobayashi, C., Hatano, O., Yoshida, M., Matsuo, I. and Aizawa, S. (2001). Emx2 directs the development of diencephalon in cooperation with *Otx2*. *Development*. in press.

Kimura, C., Shen, M., Takeda, N., Aizawa, S. and Matsuo, I. (2001). Complementary Functions of *Otx2* and *Cripto* in Initial Patterning of Mouse Epiblast. *Developmental Biology* 235, 12-32.

Kuwahara, K., Fujimura, S., Nomura, K., Xing, Y., Tomiyasu, S., Aizawa, H., Kaneko, T., Nakagata, N., Imajoh-Ohmi, S., Izuta, S., Yuasa, S., Aizawa, S. and Sakaguchi, N. (2001). A novel DNA-primase GANP is required for brain formation during embryonic development. Under Submittance.

Ino, M., Yoshinaga, T., Wakamori, M., Miyamoto, N., Takahashi, E., Sonoda, J., Kagaya, T., Oki, T., Nagasu, T., Nishizawa, Y., Tanaka, I., Imoto, K., Aizawa, S., Koch, S., Schwartz, A., Niidome, T., Sawada, K. and Mori, Y. (2001). Functional disorders of the sympathetic nervous system in mice lacking the α1B subunit (Cav2.2) of N-type calcium channels. *PNAS* 98 5323-5328.

Kaji, T., Aizawa, S., Uemura, M. and Yasui, K. (2001). Establishment of Left-Right Asymmetric Innervation in the Lancelet Oral Region. *The Journal of Comparative Neurology* 435, 394-405.

Myojin, M., Ueki, T., Sugahara, F., Murakami, Y., Shigetani, Y., Aizawa, S., Hirano, S. and Kuratani, S. (2001). Isolation of Dlx and Emx Gene Congnates in an Agnathan Species, *Lampetra japonica*, and Their Expression Patterns During Embryonic and Larval Development: Conserved and Diversified Regulatory Patterns of Homeobox Genes in Vertebrate Head

Evolution. *Journal of Experimental Zoology* (MOL DEV EVOL) 291, 68-84.

Tamura, T., Igarashi, O., Hino, A., Yamane, H., Aizawa, S., Kato, T. and Nariuchi, H. (2001). Impairment in the Expression and Activity of Gyn During Differentiation of Naive CD4+ T Cells into the Th2 Subset. *The Journal of Immunology* 167, 1962-1969.

・当該学問分野及び関連学問分野への影響

当該並びに関連学問分野に対しては、種々の review 誌に研究が紹介され波及効果を持ったが、一般社会に対する働きは十分でなかった。現在本研究の成果を平易に一般科学書として執筆中で、これによりその役割を果たしたい。

また、本研究の進捗と併行して、我が国の若手研究者を対象として、第一線欧米研究者の参加を得「脊椎動物のボディプラン、頭部形成」に関する国際シンポジウムを3回開催し、我が国における頭部形成研究に指導的役割を果たした。以下に各回の欧米参加者を記す。

第一回：1995 "Induction"

Claudio Stern (Columbia University)

Ali Hemmati-Brivanlou (Rockefeller University)

Michael A. Frohman (State University of NY at Stony Brook)

Anne Bang (Salk Institute)

Daniel S. Kessler (University of Pennsylvania)

Andrea Streit (Columbia University)

第二回：1997 "A-P Patterning of the Nervous System"

Peter Gruss (Max-Planck Institute, Gottingen)

Eddy M. De Robertis (University of California, Los Angeles)

Nicole Le Douarin (CNRS college de France)

Scott Fraser (California institute of Technology)

Robb Krumlauf (National Institute for Medical research)

Wolfgang Wurst (GSF-Forschungszentrum)

John L. R. Rubenstein (University of California, San Francisco)

Antonio Simeone (CNR)

Barbara Meyer (Max-Planck Institute, Gottingen)

第三回：1999 "Head Development"

Eddy M. De Robertis (University of California, Los Angeles)

Elizabeth J. Robertson (Harvard University)

Richard R. Behringer (The University of Texas)

Patrick P. L. Tam (University of Sydney)

Claudio D. Stern (Columbia University)

Stephen W. Wilson (University College London)

Christof Niehrs (Deutsches Krebsforschungszentrum)

Alexander F. Schier (New York University School of Medicine)

Michael M. Shen (UMDNJ-Robert Wood Johnson Medical School)