

平成20年10月28日 最終機器配置計画案(一部抜粋)(Zebra Fish Tank Rack)

LEGEND:																	
(CF) Contractor furnished; (OF) Owner furnished; (CI) Contractor Installed; (OI) Owner installed; (CA) compressed air; (ICW) industrial cold water; (IHW) industrial hot water; (CW) cold water - potable; (HW) hot water - potable; (DI) deionized water; (G) natural gas; (V) vacuum; (CO2) carbon dioxide; (ST) steam; (EM) emergency power; (D) dedicated line; (Data) computer network connection; (FS) floor sink; (FD) floor drain; (B) Benchtop Eqpt.; (F) Floor Eqpt.; (N) Do not provide; (N/A) Not Applicable; (U) Vacuum; (UN) Undercounter Eqpt; (Y) Provide. All equipment is Contractor Furnished and Installed unless noted otherwise. Changes from previous versions are indicated by strike-through.																	
Rm #	Room Name	Equip # (Exist'g)	Equip # (KA)	Qty	Description/model	Vendor/ Manufacture	Model	Dimensions W x D x H (mm) R=Radius	Equip. Type (B or F)	Power Requirement (v,amp,Hz)	Type / # of outlets/ EM	Piped Service & Drains	Exhaust	UPS	Emrg. Power	Owner	
Central Server Area																	
A01	Co-Gen.																
A02	Server Room																
A03	Visitor's Alcove																
A04	Corridor 1																
A05	Corridor 2																
A06	Admin Server																
A07	Server Room Office																
A08	Service Alcove	G001		2	General Equipment			900Wx900D	F								
		G002		1	General Equipment			800Wx800D	F								
Zebra Fish Facility																	
		Z007		10	Zebra Fish Tank Rack	Marine Biotech	XR6	1384Wx356Dx2337H	F								Dr. Masai
		Z008		2	Zebra Fish Tank Rack	Marine Biotech	XR1	1384Wx356Dx2337H	F								Dr. Masai
		Z009		8	Zebra Fish Tank Rack	Marine Biotech	XR2	1892Wx356Dx2337H	F								Dr. Masai
		Z007		6	Zebra Fish Tank Rack	Marine Biotech	XR6	1384Wx356Dx2337H	F								
		Z008		14	Zebra Fish Tank Rack	Marine Biotech	XR1	1384Wx356Dx2337H	F								
A09a	Zebra Fish Corridor 1	Z017		1	Fridge-Freezer	Nippon Freezer	KGT-4056HC	600Wx631Dx800H	F	100V/60Hz/1pH/10A					Yes	Dr. Masai	
		Z004		1	Ice machine	Hoshizaki	FM-120F	600Wx600Dx800H	F	100V/60Hz/1PH/5A	1	1CW/FD				Dr. Masai	
A10	Crossing Room 1	XX005		2	Fish Tank Rack												
A11	Filtration Equip. Room	Z010		1	UV Filtering System	Marine Biotech		1000Wx2000Dx1500H	F	100V/60Hz/1PH/5A	2				Yes	Dr. Masai	
		Z011		1	Air Pumping System	Marine Biotech			F	100V/60Hz/1PH/5A	1				Yes	Dr. Masai	
		Z012		1	High Pressure Pumping System	Marine Biotech			F	200V/60Hz/1PH/15A	2				Yes	Dr. Masai	
		Z013		1	Biosystem Monitoring System	Marine Biotech			F	100V/60Hz/1PH/5A	2				Yes	Dr. Masai	
		Z014		2	Heater Controller	Marine Biotech			F	200V/60Hz/1PH/30A	1				Yes	Dr. Masai	
		Z016		1	750 Litter DI Water Storage	Millipore	RIOS	2000Wx1000Dx2000H	F	100V/60Hz/1PH/5A	2	CW/FS			Yes	Dr. Masai	
		XX006		4	RO Water Tanks (w/ system)	Marine Biotech			F								
XX007		2	Filtration System	Marine Biotech			F										
A12	Zebra Fish Holding Area 2	Z007		24	Zebra Fish Tank Rack	Marine Biotech	XR6	1384Wx356Dx2337H	F								
		Z008		24	Zebra Fish Tank Rack	Marine Biotech	XR1	1384Wx356Dx2337H	F								
		Z009		12	Zebra Fish Tank Rack	Marine Biotech	XR2	1892Wx356Dx2337H	F								
A13	Shrimp Hatchery	Z027		12	Brime Shrimp Hatching Cones			B				RO Water					
A14	Tank Wash Area																

