

別紙

聯合國進駐部隊用酒類供給手續

一 進駐部隊ニ對スル酒類ノ供給ニ付テハ終戰連絡地方事務局又ハ同出張所内終戰連絡地方委員會（以下委員會）ト稱ス）ト連絡シ差當リ出來得ル限りノ供給ヲ圖ルコト

二 委員會ニ於テハ指定酒類ニ付財務局（地方廳所在地稅務署ヲ含ム以下同シ）ト協議ノ上之ガ供給可能量ヲ決定シ其ノ配給方法、荷受責任者、其ノ他荷受上必要ナル事項ニ付進駐部隊ト協議スルト共ニ取扱機關名及同責任者、販賣價格等荷渡上必要ナル事項ヲ進駐部隊責任者ニ申入ルコト

三 前項ノ協議整ヒタルトキハ財務局ニ於テ指圖書ヲ作成シ關係配給機關ニ對シ當該酒類ノ出荷指示ヲ爲スコト

四 配給機關ハ豫メ出張所又ハ取扱所等ニ集荷シ置キタルモノヨリ出荷シ可及的現金ト引換ニ現物ヲ供給スルコト

外務省

五 地方廳ニ於テ酒類ヲ轉讓スル場合ハ財務局ヨリ適當通知ヲ受クルコトトシ財務局ハ前記ニ依リ關係配給機關ニ對シ酒類ノ出荷指示ヲ爲シ當該部隊ニ供給スルコト

外務省

連合軍の本土進駐並に軍政関係件

A'1.0.0.2

才 才 才
三 二 一
卷 卷 卷

20

終戦事務局

用急

受信 三〇一四〇

佐野司令部

終戦事務局

軍務局長、兵隊、護衛、佐野各司令部

第〇三一八一六番電



聯軍次官 終戦連絡中央事務局

在在深宿々佐賀間ノ國道修理ノ爲進駐軍工兵ニケ中隊ノ約四〇〇名ノ有田佐賀二分駐スルニ付際側ニ協力方要望アリ

三十月三日博多へ二〇〇三名四日下ノ關へ三〇〇名鐵道ヲ以テ進駐ノ旨通知アリ

参考事項

(一)進駐軍自衛直ヲ経テントシテ其ノ自衛軍機密セル事故アリ之ニ對シ「スターリン」大佐觀察ニ來訪見解ヲ述ベ或ハ尋常處置方

三三三三 平 (九八三〇) 野木(官地)

(回) 日本人ノ小銃ノ火切ノ件時時アリ進駐軍兵ヨリ
 ラレカテアリ警察ヨリ道警心ノ向上ニ關シ一役ノ注意ヲ喚起ス
 (付) 民間火薬常用ノ火薬使用ニ際シテハ警察ヨリ通知シ建修委員ヨリ
 聯合軍側ニ申請許可ヲ受タベキ通知アリ尙三日ヨリ民間保有ノ火
 薬ヲ檢分ノ予定

A-1.0.0.2

參照總務中央事務局總務會軍總司令部來函
（九月九日附）

最高司令部ノ代理トシテ副官部ハハヨルヲ
フエアリト申付

下開ノ臨時地區ニ於ケル聯合團占領部隊ノ必要トスル
施設及設備ニ關スル件

聯合團最高司令部ノ代表者ニ依リテ要領セラレタル左記ノ施設ハ
聯合團占領部隊到着ノ當リ下開ノ臨時地區ニ於テ使用スルヲ必
要トスルモノナリ、左等施設ノ進捗状況ノチヨリ聯合團最高司令部
ノ代表者ハ九月十五日前頃報告及檢査ヲ開始ス、左等諸種ノ施設ヲ
熟知セシムル高司令二十名及隊内人員ヲ所要ノ自動車ノ便宜及通關ト共
ニ右代表者ニ隨行ノ爲九月十五日前頃提供セラルヘシ
施設及設備ノ概式

A、飛行場：一切ノ現有飛行場施設、設備及器具ヲ含ム

B、陸揚施設：長サ四百五〇呎吃水三〇呎ノ船舶ノ陸揚地三ヶ所、

外務省

長サ二〇〇呎吃水二二呎ノ船舶ノ陸揚地 三ヶ
所

吃水六呎ノ浮揚用機橋 三及

長サ五五〇呎吃水三四呎ノ油槽船（複数）用、燃

料補給機橋 一ヶ最少限度トス

G、油施設：最少限度一五、〇〇〇米式「バレル」ノ收容量

ヲ有シ燃料補給用機橋又ハ埠頭ニ連絡スル荷揚地

點

D、宿營地：司令部職員用

（一）將官用：將官一〇名以上ノタメニ適當ナル設備及家具附ノ「ホ

テル」又ハ「アビメント」宿泊設備

（二）士官用：士官五〇〇名以上ノタメニ「ホテル」又ハ其レ相當

ノ宿泊設備

E、宿泊地區及具舍：占領部隊ノ必要ニ隨テ定ム

外務省

OFFICE OF THE SUPREME
COMMANDER FOR THE ALLIED POWERS

AG 600 (9 Sept 45) GD A.P.O. 500
9 September 1945.

SUBJECT: Areas and Facilities in Nagasaki-Sasebo Area
Required by Allied Occupation Forces.

TO : The Central Liaison Committee, The Japanese
Imperial Government, Tokyo, Japan.

1. The facilities and installations indicated below,
as selected by representatives of the Supreme Commander
for the Allied Powers, will be required initially in the
Nagasaki-Sasebo Area for use of Allied occupation forces
upon their arrival. Reconnaissance and inspection of
facilities and installations to determine their suitability
will be initiated about 15 September 1945 by representatives
of the Supreme Commander for the Allied Powers. It is de-
sired that twenty (20) officers and guides familiar with
the various facilities indicated, with necessary motor
transportation and interpreters be available on and after
that date to accompany these representatives.

18
19
20
21

2. Type facilities and installations.

- a. Airfields - With all existing installations,
facilities and equipment at such
fields.
- b. Harbor - Minimum of 3 berths for ships of
450 foot length and 30 foot draft;
1 berth for ships of 200 foot
length and 22 foot draft; 2
lighter jetties with 6 foot draft;

and

0010

and one fueling jetty for tankers
of 550 foot length and 34 foot
draft.

- c. Petroleum Storage - Bulk terminal with minimum capacity
of 93,000 U.S. barrels and connec-
tion to fueling jetty or wharf.
- d. Quarters - Headquarters Personnel.
 - (1) General Officers - Suitable hotel or apartment
accommodations with appropriate
appointments and furnishings
for not less than 10 General
Officers.
 - (2) Officers - Hotel accommodations or equiva-
lent for not less than 500
officers.
- e. Cantonment Area and Barracks
As required for occupation forces.
- f. Barracks - For 1000 men without beds, bunks
or bedding based on 60 square
feet per man in squad rooms.
- g. Separate Camp Area - For 15,000 men.
- h. Hospitals - 4,500 beds (allowance of 100 sq
ft per bed).
- i. Office Space - 150,000 sq ft complete with
office furniture and equipment.
- j. Motor Pool Space
150,000 sq ft hard surfaced.
- k. Covered Storage
400,000 sq ft.
- l. Open Storage 1,200,000 sq ft.
- m. Shops - 220,000 sq ft.
- n. Refrigeration 160,000 cu ft.

21

0011

- 3 -

o. Transport Equipment

(1) Passenger vehicles,

Lincolns - 50

(2) Trucks - 150 of 1 1/2 ton capacity.

p. Communication Facilities

- wire, radio, telephone facilities, as directed by representatives of Supreme Commander for the Allied Powers.

q. Utilities

- Power, light, water, heat, sanitation, and other utilities as required for all installations listed herein.

r. Construction Materials and Equipment

- lumber, cement, bitumen, sand and gravel, road and other materials and equipment as required.

s. The entire Sasebo Naval Base, with all present and existing facilities, including quarters for 4,000 personnel; the whole including approximately 250 acres of space.

t. The Omura Seaplane Base and Airfield complete with all adjacent facilities including wire communications systems, radio station installations and utilities.

3. At the time of transfer to Allied occupation forces, all buildings and facilities listed above will be clean, sanitary, equipped for their designed purpose, and ready for operation, and where specifically stated, equipped with furnishings as indicated. Motor transportation, with qualified drivers, will be delivered fully gassed, serviced, and capable of sustained operation.

Fuel
0012

- 4 -

Fuel and maintenance will be provided for the period these vehicles are operated for the Allied Occupation forces.

For the Supreme Commander:

(Signed) Harold Fair,
Lt. Colonel, A.G.D.,
Asst. Adjutant General.

0013

OFFICE OF THE SUPREME
COMMANDER FOR THE ALLIED POWERS

A.P.O. 500
9 September 1945

AG 500 (9 Sept 45) GD

SUBJECT: Areas and Facilities in Shimonoseki-Fukuoka
Area Required by Allied Occupation Forces.
TO: The Central Liaison Committee, The Japanese
Imperial Government, Tokyo, Japan.

1. The facilities and installations indicated below, as selected by representatives of the Supreme Commander for the Allied Powers, will be required initially in the Shimonoseki-Fukuoka Area for use of Allied occupation forces upon their arrival. Reconnaissance and inspection of facilities and installations to determine their suitability will be initiated about 15 September 1945 by representatives of the Supreme Commander for the Allied Powers. It is desired that twenty (20) officers and guides familiar with the various facilities indicated, with necessary motor transportation and interpreters, be available on and after that date to accompany these representatives.

2. Type facilities and installations.

- a. Airfields - With all existing installations, facilities and equipment at such fields.
- b. Harbor - Minimum of 3 berths for ships of 450 foot length and 30 foot draft; 3 berths for ships of 200 foot length

0014

length and 22 foot draft; 3 lighter jetties with 6 foot draft; and one fueling jetty for tankers of 550 foot length and 34 foot draft.

- c. Petroleum- Storage Bulk terminal with minimum capacity of 115,000 U.S. barrels and connection to fueling jetty or wharf.
- d. Quarters - Headquarters Personnel:
 - (1) General Officers - Suitable hotel or apartment accommodations with appropriate appointments and furnishings for not less than 10 General Officers.
 - (2) Officers - Hotel accommodations or equivalent for not less than 500 officers.
- e. Cantonment Areas and Barracks - As required for occupation forces.
- f. Barracks - For 1000 men, based on 60 square feet per man in 3 squad rooms and without beds, bunks or bedding.
- g. Separate Camp Area - For 2000 men.
- h. Hospitals - 3500 beds (allowance of 100 sq ft per bed).
- i. Office Space - 350,000 sq ft complete with office furniture and equipment.
- j. Motor Pool Space - 200,000 sq ft hard surfaced.
- k.

0015

- 3 -

- k. Covered Storage - 220,000 sq ft.
- l. Open Storage - 700,000 sq ft.
- m. Shops - 160,000 sq ft.
- n. Refrigeration - 244,000 cu ft.
- o. Transport Equipment
- (1) Passenger vehicles,
- Limousines - 50
- (2) Trucks - 100 of 1-1/2-2 ton capacity.
- p. Communication Facilities - Fire, radio, telephone facilities, as directed by representatives of Supreme Commander for the Allied Powers.
- p. Utilities - Power, light, water, heat, sanitation, and other utilities as required for all installations listed herein.
- r. Construction Materials and Equipment - Lumber, cement, bitumen, sand and gravel, road and other materials and equipment as required.
- s. Labor - Be prepared to furnish labor details, with organized supervision, as required.

3. At the time of transfer to Allied occupation forces, all buildings and facilities listed above will be

0016

- 4 -

be clean, sanitary, equipped for their designed purpose, and ready for operation, and where specifically stated, equipped with furnishings as indicated. Motor transportation, with qualified drivers, will be delivered fully gassed, serviced, and capable of sustained operation. Fuel and maintenance will be provided for the period these vehicles are operated for the Allied Occupation forces.

For the Supreme Commander:

(Sgd.) Harold Fair
Lt. Colonel, A.G.C.,
Asst. Adjutant General.

0017

華國總領事中央事務局通商會同總領事官部事務

(九月九日附)

最高司令官ノ代表トシテ副官部「ハヨルド、フエアー」中位

長崎ニ設置保地ニ於ケル聯合領事官領事官ノ必要トスル地及建設ニ關スル件

聯合領事官領事官ノ代表者ニヨリテ選擇セラルタル左記ノ建設ハ聯合領事官領事官ノ代表者長崎ニ設置保地ニ於テ使用スルタメ必要トスルモノナリ、之等建設ノ進否決定ノタメ聯合領事官領事官ノ代表者ハ九月十五日頃領事官及建設ヲ開始ス、之等建設ノ進否ヲ熟知セル高等官三十名及領事官ノ代表者ノ自動車ノ便宜及燃料ト共ニ有代表者ニ隨行ノ爲九月十五日以後提供セラルヘシ

建設及設備ノ要式

A、飛行場 一町ノ廣有飛行場建設設備器具ヲ含ム

B、陸揚施設 長サ四百五十呎、吃水三十呎ノ船舶ノ陸揚地

外務省

三ヶ所

長サ二百呎、吃水十二呎ノ船舶碇泊地 一ヶ所

吃水六呎ノ浮船用棧橋 二

長サ五百五十呎、吃水三十四呎ノ油槽船(複數)用燃料補給棧橋 一

最少限度トス

C、貯油施設 最少限度九万三千、米式「バレル」ノ收容量ヲ有シ燃料補給用棧橋又ハ埠頭ニ連結スル荷揚地點

D、宿營地 司令部隊員用

(一) 將官用 將官十名以上ノタメニ適當ナル設備及家具附「ホテル」又ハ「アパートメント」宿泊設備

(二) 士官用 士官五百名以上ノタメニ「ホテル」又ハソレ相當ノ宿泊設備

E、宿泊地區及兵舎 占領部隊ノ必要ニ隨ツテ定ム

外務省

F、兵舎 兵一千名用（各分隊室ニ於テ一名當リ六十平方呎
 宛ヲ基準トス尙寢台寝棚又ハ寢具不要）

G、分離セル露營地區 一萬五千名用

H、病院 病床四千五百（一病床當リ百平方呎宛）

I、事務所面積 十五萬平方呎
 事務所用家具及設備ヲ完備ノコト

J、駐車用面積 十五萬平方呎ノ硬地

K、有蓋貯藏所 四十萬平方呎

L、露天貯藏所 百二十萬平方呎

M、作業所 二十二萬平方呎

N、冷藏設備 十六萬立方呎

O、輸送手段 (一) 採用車高級車一六〇台
 (二) 「トラック」一屯半又ハ三屯積載ノモノ一五〇台

外務省

P、通信設備 聯合國最高司令官ノ代表者ノ指派スル有線及無線
 電信設備

Q、諸施設 本營區ノ一切ノ設備ニハ電力、電燈、水道、暖
 房、衛生、其他ノ施設ヲ要ス

R、建設材料及器具 必要ニ應ジ木材、「セメント」、磁石、
 砂、砂礫敷路用材料及器具

S、位置保障軍用施設全部（俄シ職員四千名用ノ宿舍ヲ含ム一切ノ
 現有施設及全面積、約二百五十一「エーカー」ノ土
 地ヲ含ム）

T、大村水上機運路及通行路（俄シ有線通信設備、無線電信局設
 備ヲ含ム一切ノ附屬施設）

聯合國占領部隊ニ對シテノ陸上輸送ノ一切ノ設備及建設ハ前項且衛
 生的ニシテ必要ノ設備ヲ有シ且ニ便宜シ得ヘキコト、實情ニ照
 シテモノコトヲハ備承運ノ器具ヲ附屬スヘシ、自動車ハ有蓋新機

外務省

買手ヲ借ヘ、一ガソリン一ヲ定金預給シ手入ヲ爲シ且長期還却
者アルモノタルヘシ燃料及手入ヘ之等取立カ聯合面古領部取ノ用
ニ供セラルルニ類同キ確保セラルヘシ

外務省

CODE SCAP NO 4 OR 24 OPERATIONAL PRIORITY TOO
30821 Z ZAX 5334

From Scap to the Imperial Japanese War Ministry
Army Passed cincpac adv pzzddd-sperial Japanese
Government

Please pass to War Ministry and
furnish time sending

Message begins

Desire you inform Commander Japanese second General Army
that present plans do not call for occupation Kure by
United States Naval Forces

End of Message

Repeat please pass to war Ministry and furnish us
time sending Thanks.

Handwritten notes in Japanese characters, including '兵軍道' and '水壺'.

A:1-0-0-2 (甲) (第3卷)

軍事秘密

10 特別緊急時號電報

昭和二十九年九月二十五日
九三二七四五號所發九二五二〇〇日提出
西部軍管區參謀長

參考 次長 次官

通電先 鎮西

鎮西轉電第九號

長崎西空軍參電第九〇號

長崎

長崎陸軍連絡委員報告第一號

江潮副長ヨリ

一 十六日夕刻長崎到着十七日朝縣下打合セヨ實施シ縣知事ヲ委員

長トシ縣側ヲ主體トシ陸軍連絡委員ヲ編成小官副連絡委員

長トシテ又根來參謀杉山小佐(橋本團參謀)總務部委員トシ

ニ當分ノ間各々委員編成ニ加入ス

(原表) (ハ)

二十七日十時及十三時三十分ヨリ長崎地區進駐聯合軍ノ先遣隊長ヲ

エシシガ大佐ト連絡ス 連絡事項左ノ如シ

(1) 聯合軍ハ二十三日佐世保ニ又二十六日長崎ニ進駐ス豫定ニシテ尚長崎ニ二十三日小部隊ヲ先遣セラルル也

(2) 長崎ヨリ上陸部隊海兵第二師團(長ハ中將)ニ兵力約二萬二千ナリ 而シテ右ノ部隊上陸後各地(場所未定)ニ分散ス

又此ノ時ニ同 警ミニテ司令部ハ市内海運局廳舎ヲ使用ス

(3) 二十三日以降橋本團裝備兵器ヲ海兵第二師團長ハ中將ニ引渡方要求シアリ

(4) 二十日十七時佐世保ニ於テ米第六軍司令官「クルガ」大將及艦隊長官「ヒル」中將が第二師團軍司令官及佐世保鎮守府長官ト會

見ヲ要求シアリ(本件中央ヨリ指示アルベクモ念ノ為)

三 上野參謀著任セ、速カニ長崎ニ派遣セラレ度

四 自動貨車六輛ヲ二十日夕刻迄長崎西安屋司令部ニ差出サレ度 進路ハ佐賀「ヤマロ」鹿島「多良」鎮守道ヲ可トス

(終)

